


End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	183.56	
To be depolluted	2	Cable	40	
To be depolluted	3	Batteries	68	
To be dismantled	4	Metals and semimetals	159.04	
Other		Plastics and Other parts	37.9	

Product description

Manufacturer identification	Schneider Electric
Brand name	Centeron
Product function	Centeron Wireless Tank Monitoring Systems are used to monitor tanks and have maximum control over product distribution, collection, and overall vessel management.
Product reference	GR05R-Y
Additional similar product references	GR05R-Y GEN0509S-VL GEN0509S-Y GEN0512S-VL GEN0512S-Y GEN0514S-VL GEN0514S-Y GEN0519S-VL GEN0519S-Y GEN0521S-VL GEN0521S-Y GEN0524S-VL GEN0524S-Y GEN0531S-VL GEN0531S-Y GEN0544S-VL GEN0544S-Y GF0509-VL-IS GF0509-VL-IS-G GF0514-VL-IS GF0514-VL-IS-G GF0522-VL-IS GF0522-VL-IS-G GF0536-VL-IS GF0536-VL-IS-G GF0538-VL-IS GF0538-VL-IS-G GF0544-VL-IS GF0544-VL-IS-G GF0548-VL-IS GF0548-VL-IS-G GF0560-VL-IS GF0560-VL-IS-G GF0564-VL-IS GF0564-VL-IS-G GF0576-VL-IS GF0576-VL-IS-G GF0596-VL-IS GF0596-VL-IS-G GI0509-VL GI0509-Y GI0514-VL GI0514-Y GI0522-VL GI0522-Y GI0536-VL GI0536-Y GI0538-VL GI0538-Y GI0544-VL GI0544-Y GI0548-VL GI0548-Y GI0560-VL GI0560-Y GI0564-VL GI0564-Y GI0576-VL GI0576-Y GI0596-VL GI0596-Y GR05R-VL GSU4G-05
Total representative product mass	488.5 g
Representative product dimensions	4.75 mm (H) X 4.65 mm (W) X 67.00 mm (D)
Accessories	No accessories needed
Date of information release	10/2021



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No special transportation required.	
Recyclability potential	41%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric

www.schneider-electric.com/contact

Country Customer Care Center:

<http://www2.schneider-electric.com/sites/corporate/en/support/operations/local-operations/local-operations.page>

1602 Mustang Drive

Maryville

TN

USA

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI2109012_V1

© 2019 - Schneider Electric – All rights reserved

10/2021